



IWASE COSFA EUROPE

44 avenue Georges Pompidou,
92300 Levallois-Perret +33 1 78 99 42 00

POWDER FOUNDATION (POUDRE COMPACTE)

Phase	Ingredients	INCI	(wt-%)
A	1 Talc FM SSA	Talc and Dimethicone	11,42
	2 ST-705SA	Titanium Dioxide, Aluminum Hydroxide and Stearic Acid	35,00
	3 Titan DN-SH	Titanium Dioxide, Aluminum Hydroxide and Hydrogendimethicone	8,50
	4 Sericite J SSA	Mica and Dimethicone	6,00
	5 Mica SSA	Mica and Dimethicone	4,00
	6 Sunsphere H-52	Silica	1,70
	7 Calmaru	Calcium Carbonate	5,00
	8 FL Barium Sulfate H	Barium Sulfate	8,50
	9 STV-455	Titanium Dioxide, Aluminum Hydroxide and Stearic Acid	3,50
	10 I.O.Yellow SSA	Iron Oxides and Dimethicone	1,80
	11 I.O.Red SSA	Iron Oxides and Dimethicone	0,40
	12 I.O. Black SSA	Iron Oxides and Dimethicone	0,18
B	13 KF-96A 5000cs	Dimethicone	0,58
	14 KF-96A 20cs	Dimethicone	3,50
	15 Phytosqualane	Squalane	3,50
	16 Cosmol 525	Neopentyl Glycol Diethylhexanoate	1,17
	17 Cosmol 168ARV	Dipentaerythrityl Hexahydroxystearate/Hexastearate/Hexarosinate	0,35
	18 Salacos 5418V	Pentaerythrityl Tetraisostearate	4,90
Total			100,00

【Procedure】

1. Homogenize phase A and comminute the whole with pulverizer.
2. Weigh the all the ingredients for phase B and dissolve at 70~80°C then, cool to room temperature.
3. Add phase B into phase A to homogenize and comminute the whole with pulverizer.
4. After getting uniform particle size mixture through a sifter,
fill it in a package (metal tray) by compression molding. Press condition: 12.5g 0.5mPa·s in 58φ metal tray

Siège social
Iwase Cosfa Europe SAS
105 rue Anatole France
92300 Levallois-Perret (France)

Main Offices – Mailing address
Iwase Cosfa
44 avenue Georges Pompidou
Levallois Perret (France)
Tel : +33(0)1 78 99 42 00

SIREN : 809727142
TVA N : FR 59809727142
EORI : FR80972714200014
92300
SAS au capital de 500.000 €